


EnBon

G Model

Design For Outdoor Projects Solution



ENBON GROUP
Spirit & Success, **Together**



Enbon



Enbon **Led** Display




Lighter **W**eight Easier **O**peration

20% lighter than normal products
Making it more convenient to operate and move



L*H: 500*250(mm)

Module



L*H:1000*500(mm)

Cabinet



Weight 5.5kg

ENBON GROUP
Spirit & Success, **Together**



Enbon



Enbon **Led** Display



Thinner Panels Lower Cost

6 in 1 flight case saves more space
and transportation cost



24 panels can be placed horizontally
in a regular 20-foot or 40-foot truck

85mm
Panel Thickness



ENBON GROUP
Spirit & Success, **Together**



Enbon



Enbon **Led** Display

EnBon

High Refresh Rate

High Grayscale



Low Refresh Rate



High Refresh Rate



Low Grayscale



High Grayscale



Stowing **A**nd **H**anging

Optional vertical installation and hanging beam installation



Hanging Beam Installation



Vertical Installation



Product Specification

Advanced locking system safety, Mechanism enables one-man installation

Pixel Pitch	3.91-7.82	5.21-10.42	10.4-10.4	15.6-15.6
LED Lamp	SMD1921	SMD1921	SMD1921	SMD2727
Density (dots/m2)	32768	18432	9216	4096
Brightness	≥1000-5000 nits	≥1000-5000 nits	≥1000-5000 nits	≥1000-5000 nits
IP Rating	IP45	IP45	IP45	IP45
Cabinet Materiel	Die-casting Aluminum			
Scan	8 scan	4 scan	2 scan	2 scan
Module Weight	0.25 kg	0.25 kg	0.25 kg	0.25 kg
Cabinet Weight	5.5 kg	5.5 kg	5.5 kg	5.5 kg
Module Size (mm)	500*250	500*250	500*250	500*250
Cabinet Size (mm)	1000*500*78	1000*500*78	1000*500*78	1000*500*78
Module Pixel	128*32 dots	96*24dots	48*24 dots	32*16 dots
Cabinet Pixel	256*64 dots	192*48 dots	96*48 dots	64*64 dots
Max Power	680 w/sqm	680 w/sqm	680 w/sqm	680 w/sqm
Average Power	230 w/sqm	230 w/sqm	230 w/sqm	230 w/sqm
Viewing Angle	H140 (+70/-70) deg V140 (+70/-70) deg			
Control Way	Synchronous / Asynchronous			
Gray Scale	16 bit			
Operating System	AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI			
Work Humidity	10% ~ 90%			
Work Temperature	-20 ~ + 65°C			

Shenzhen Enbon Optoelectronic CO.,LTD

3/ F, Building 1, High-tech Park,Fuyuan Road No.156, Fuhai Street,
Fuyong Town,Baoan District, Shenzhen, China



Enbon



Enbon Led Display